

Safety Data Sheet (SDS)

Product Name	:	Masri RG 100
Revision	:	4
Validation Date	:	October 23 rd , 2020
Valid Period	:	5 (five) years

PT Pertamina Lubricants

Grha Pertamina, Pertamax Tower 15th-17th floor Jl. Medan Merdeka Timur No. 11-13 Central Jakarta 10110 Indonesia



SAFETY DATA SHEET	LUBRICAINT
	1. Identification
 Product identification/name 	: Masri RG 100
Identification number	: 522
 Recommended use of the chemical and restrictions on use 	: Masri RG 100 is industrial gear oils which recommended for gear lubrication or application that is needed in normal condition and extreme condition.
 Manufacturer's details 	 PT Pertamina Lubricants Grha Pertamina, Pertamax Tower 15th-17th floor Jl. Medan Merdeka Timur No. 11-13 Central Jakarta 10110 Indonesia T : +62 21 3190 7190 (1-3)
 Emergency phone number 	: 135
	2. Hazard Identification
 Classification of the pro 	duct : Skin irritation/corrosion, category 3. Skin sensitization, category 1.
GHS label elements	: Exclamation mark
 Signal word 	: Warning
 Hazard statement(s) : Physical hazard No hazard statement 	
Health hazard H316 – Causes mild ski H317 – May cause an a	
Environmental hazard No hazard statement	
 Precautionary statemer General No precautionary stater 	
Preventive	
P261 – Avoid breathing	dust/fume/gas/mist/vapours/spray.

P261 – Avoid breatning dust/fume/gas/mist/vapours/spray.
P272 – Contaminated work clothing should not be allowed out of the workplace.
P280 – Wear protective gloves/protective clothing/eye protection/face protection.

Response



2. Hazard Identification
P302 + P352 – IF ON SKIN: Wash with plenty of water.
P332 + P313 – If skin irritation: Get medical advice/attention.
P333 + P313 – If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 – Take off contaminated clothing and wash before reuse.
P321 – Specific treatment on GHS label.
Storage
No precautionary statement
Disposal
P501 – Dispose of contents/container to waste collector conform to regulations
• Pictogram :
 Other hazards which do not : - result in classification

3. Composition/Information on the Ingredients

• Chemical identity

Common/trade name/synonym

: Hydrocarbon petroleum and additive : Masri RG 100

Mixtures

Chemical Ingredients	CAS Number	% wt as product
2-Ethyl Hexanol	104-76-7	0.1-0.198%
Long chain alkyl amine	Proprietary	0.02-0.098%

4. First Aid Measures

Description of necessary first aid measure:
 Eye contact

 Rinse with plenty of water. If irritation occurs, refer to a physician.
 Wash the contaminated skin with water and soap. Remove the clothes. Get medical advice if further irritation occurs immediately. Wash the contaminated clothing before reuse

 Inhalation

 Remove victim to fresh air and keep at rest in a comfortable position for breathing.

 Ingestion

 Do not give anything through mouth that can induce nausea or vomiting. Get medical advice if emergency condition occurs.

- Most important symptoms/effects (acute and delayed):
 - No data



4. First Aid Measures

Indication of immediate medical attention and special treatment needed:
 No data

5. Fire-fighting I	Measures
Suitable extinguishing media	: Carbon dioxide, water, foam, and dry chemical
Specific hazards arising from the chemical	
Other hazardous combustion products	: No other hazardous combustion
Flash point °C	: 230 (ASTM D-92)
Hazardous chemical decomposition	: No data available
• Special protective actions for fire fighters	:
	direction with the wind. In to inner wall of the container and not to In with the wind. If it is spill, spray to the
origin of fire in the same direction wi	th wind until all the fire covered. Do not ewage system, and clean water source
 Special protective equipment 	: If fire occurs in limited/indoor/closed area, fire fighter operator must wear Self-Contained Breathing Apparatus (SCBA).
Hazchem code / emergency action code	: N/A

6. Accidental Release Measures

- Personal precautions, protective equipment, and emergency procedures Keep away from fire sources. Avoid direct contact with skin, eye, and clothes (see section 8).
- Environmental precautions Prevent oil spill goes into drainage, sewage system, and soil.
- Procedures Report spill according to the valid system and procedures. If spill is estimated can goes into drainage or streams, do immediate report to the authority.
- Methods and materials for containment and cleaning up



6. Accidental Release Measures

Do oil spill control with oil spill kit (absorbents: sawdust, sorbent pad/pillow, etc, and other fire retardant material). Clean and dispose cleaned material in the right waste disposal.

7. Handling and Storage						
Preventive procedure for safe handling						
equipment suggestions when hand	 Precautions for safe handling Do not get in eyes, skin, and clothes. See section 8 for personal protective equipment suggestions when handling this product. Do not inhale vapor from hot material, wash after use. Avoid release/spill. 					
Store in closed and labeled contain	 Conditions for safe storage (including any incompatibilities) Store in closed and labeled container. Keep away from oxidizer, hot material, or combustible materials. Store at temperatures not exceeding 50 Celsius degrees. 					
 Recommended/compatible packaging material Use mild carbon steel or high density polyethylene for container or container coating. 						
 Other information/advice Container made from polyethylene ca it is able to change the shape. 	annot be exposed to high temperature because					
8 Exposure Controls	and Personal Protection					
Control parameters						
Exposure limits	: No data available					
Biological limit value	: No data available					
Appropriate engineering controls :						
Ventilation	: In common condition, special ventil ation requirement is not needed					
 Individual protection measures (suc 						
Respiratory protection	: In common condition, no special					
Eye protection	requirements needed. : Use eye protective equipment (chemical goggles dan face shield) if material heated.					
Hand protection	: In common condition, no special requirement needed. If there is hand contact probability, use standardized and relevant gloves (e.g: EN374, US: F739) which has					



been agreed and made from proven material that can give protection from the chemical, neophrene or

neophrene rubber gloves or nitrile.No special work clothing (without

protection.

coverall) for skin or other body

Skin and body protection

Hygiene practices :
 No data

9. Physical and Chemical Properties				
SAE Number	:	No data available		
Specific Weight, 15°C, Kg/l	:	0.8863	(ASTM D-4052)	
Appearance (physical state, color, etc)	:	L 2.5	(ASTM D-1500)	
Odor	:	No data available		
Odor threshold	:	No data avaiable		
рН	:	No data available		
Pour point, °C	:	-12	(ASTM D-5950)	
Initial boiling point and boiling range	:	No data available		
Flammable properties (solid, gas)	:	No data available		
Flash point (COC), °C	:	230	(ASTM D-92)	
Evaporation rate	:	No data available		
Flammability (solid, gas)	:	Low		
Lower/upper flammability and/or	:	No data available		
explosive limits				
Vapor pressure	:	No data available		
Vapor density	:	No data available		
Relative density	:	No data available		
Solubility				
- Water solubility	:	No data available		
 Other solvent solubility 	:	No data available		
Partition coefficient: n-octanol/water	:	No data available		
Auto-ignition temperature	:	No data available		
Decomposition temperature	:	No data available		
Kinematic viscosity at 40°C, cSt	:	100.1	(ASTM D-7279)	

10. Stability and reactivity				
 Chemical stability and reactivity 	: Stable for normal use and under normal condition			
Possibility of hazardous reactionsCondition to avoid	: No data available : Temperature above normal condition			
Incompatible materialsHazardous decomposition pruducts	Strong oxides, strong acid and base.No data available			



11. Toxicological Information

• Acute toxicity

-	Skin corr	osion/i	rritation	:	No data available. Suspected to cause mild irritation based on test to similar material and
	0		-le		component.
-	Serious	eye	damage/	:	No data available. It is not expected to cause serious irritation based on test to similar

- Respiratory/skin:Material and component.Sensitization:No data available. It is not expected that
inhaling material fog or vapor after heating
will cause irritation and upper respiratory
problem.
- Germ cell mutagenicity : No data available. It is expected that it is not mutagen based on test to the components.
- Carcinogenicity : No data available. It is expected that it is not carcinogen based on test to the components.
- Reproductive toxicity : No data available. It is expected that it is not reproductive toxicant based on test to the components.
 - Systemic Target Organ : No data available. It is expected that it does not cause organ damage because of single exposure.
 - Systemic Target Organ : No data available. It is expected that it does not cause organ damage because of long term or repeated exposure based on test to the components.
 - Aspiration hazard : No data available. It is expected that it does not give aspiration risk based on its materials physical-chemical properties
 - Information on the likely : No data available
 - No data available

No data available

No data available

No data available

Symptoms related to the physical, chemical, and toxicological characteristics

routes of exposure

- Delayed and immediate effects : and also chronic effects from short and long term exposure
- Numerical measures of toxicity : No data available
- Interactive effects
- Where specific chemical data : are not available
- Mixtures : No data available
 Mixture versus ingredient : No data available
- Mixture versus ingredient information
- Other information



12. Ecological Information

•		
·	Ecotoxicity : Materials – May cause harm to aquatic or effect to aquatic life. Soil seepage may ca No potential to cause air pollution and oze	ause soil water contamination or aquifer.
•	Persistence and degradability : Biodegradation: Lubricant base component – Suspected h	nas biodegradation properties
•	Bioaccumulative potential This product is estimated that will not acc in the environment.	cumulate biologically through food chain
•	Mobility in soil : Lubricant base component – Low solubility water to land. It is also suspected that will particle.	
•	Other adverse effect : No data	
*Infor	rmation given is based on available mater	rial data. material component data. and
	ar material data.	
	3. Disposal Cons	idenetie ne
	5 DISDOSAL LODS	
•	Disposal Methods	
•	Disposal Methods - Product Disposal Lubricant waste may not dispose with	n domestic waste and must be manage Ilation. As alternative, the waste disposal
•	 Disposal Methods Product Disposal Lubricant waste may not dispose with according to the valid government reguced the done by authorized third party. 	n domestic waste and must be manage Ilation. As alternative, the waste disposal
•	 Disposal Methods Product Disposal Lubricant waste may not dispose with according to the valid government regu can be done by authorized third party. Packaging/container Disposal Two-hundred (200) capacity drum me returns to the supplier or authorized p 	n domestic waste and must be manage ulation. As alternative, the waste disposal ust be in empty condition, labeled, and party that have license to do recondition and plastic packaging can be recycled if
•	 Disposal Methods Product Disposal Lubricant waste may not dispose with according to the valid government regu- can be done by authorized third party. Packaging/container Disposal Two-hundred (200) capacity drum ma- returns to the supplier or authorized p drum waste. Uncontaminated metal application 	n domestic waste and must be manage ulation. As alternative, the waste disposal ust be in empty condition, labeled, and party that have license to do recondition and plastic packaging can be recycled if ste.
•	 Disposal Methods Product Disposal Lubricant waste may not dispose with according to the valid government regu can be done by authorized third party. Packaging/container Disposal Two-hundred (200) capacity drum ma returns to the supplier or authorized p drum waste. Uncontaminated metal a possible, or disposed as domestic was 	n domestic waste and must be manage ulation. As alternative, the waste disposal ust be in empty condition, labeled, and party that have license to do recondition and plastic packaging can be recycled if ste.
•	 Disposal Methods Product Disposal Lubricant waste may not dispose with according to the valid government regu can be done by authorized third party. Packaging/container Disposal Two-hundred (200) capacity drum may returns to the supplier or authorized p drum waste. Uncontaminated metal a possible, or disposed as domestic was 	n domestic waste and must be manage ulation. As alternative, the waste disposal ust be in empty condition, labeled, and party that have license to do recondition and plastic packaging can be recycled if ste.
•	 Disposal Methods Product Disposal Lubricant waste may not dispose with according to the valid government regu- can be done by authorized third party. Packaging/container Disposal Two-hundred (200) capacity drum mare returns to the supplier or authorized part drum waste. Uncontaminated metal apossible, or disposed as domestic was 14. Transport Inf ICAO/IATA 1 	n domestic waste and must be manage ulation. As alternative, the waste disposal ust be in empty condition, labeled, and party that have license to do recondition and plastic packaging can be recycled if ste.
•	 Disposal Methods Product Disposal Lubricant waste may not dispose with according to the valid government regu- can be done by authorized third party. Packaging/container Disposal Two-hundred (200) capacity drum ma- returns to the supplier or authorized p drum waste. Uncontaminated metal a possible, or disposed as domestic was ICAO/IATA 1 UN Number 	n domestic waste and must be manage ulation. As alternative, the waste disposal ust be in empty condition, labeled, and party that have license to do recondition and plastic packaging can be recycled if ste.
•	 Disposal Methods Product Disposal Lubricant waste may not dispose with according to the valid government regu- can be done by authorized third party. Packaging/container Disposal Two-hundred (200) capacity drum ma- returns to the supplier or authorized p- drum waste. Uncontaminated metal a possible, or disposed as domestic was ICAO/IATA 1 UN Number UN Proper Shipping Name 	n domestic waste and must be manage ulation. As alternative, the waste disposal ust be in empty condition, labeled, and party that have license to do recondition and plastic packaging can be recycled if ste. Formation Not regulated Not regulated



Packing Group (if applicable)	: Not regulated
Environmental Hazards	: Not regulated
Special Precautions for User	: Not regulated
ICAO/IATA II	
UN Number	: Not regulated
UN Proper Shipping Name	: Not regulated
Transport Hazard class(es)	: Not regulated
Packing Group (if applicable)	: Not regulated
Environmental Hazards	: Not regulated
Special Precautions for User	: Not regulated
• IMDG	
UN Number	: Not regulated
UN Proper Shipping Name	: Not regulated
Transport Hazard class(es)	: Not regulated
Packing Group (if applicable)	: Not regulated
Environmental Hazards	: Not regulated
Special Precautions for User	: Not regulated
US DOT Non Bulk	
UN Number	: Not regulated
UN Proper Shipping Name	: Not regulated
Transport Hazard class(es)	: Not regulated
Packing Group (if applicable)	: Not regulated
Environmental Hazards	: Not regulated
Special Precautions for User	: Not regulated
USCG Compatibility	
UN Number	: Not regulated
UN Proper Shipping Name	: Not regulated
Transport Hazard class(es)	: Not regulated
Packing Group (if applicable)	: Not regulated



	Environmental Hazards	:	Not regulated
	Special Precautions for User	:	Not regulated
•	Canada		
	UN Number	:	Not regulated
	UN Proper Shipping Name	:	Not regulated
	Transport Hazard class(es)	:	Not regulated
	Packing Group (if applicable)	:	Not regulated
	Environmental Hazards	:	Not regulated
	Special Precautions for User	:	Not regulated
•	Mexico		
	UN Number	:	Not regulated
	UN Proper Shipping Name	:	Not regulated
	Transport Hazard class(es)	:	Not regulated
	Packing Group (if applicable)	:	Not regulated
	Environmental Hazards	:	Not regulated
	Special Precautions for User	:	Not regulated
•	Indonesia		
	UN Number	:	Not regulated
	UN Proper Shipping Name	:	Not regulated
	Transport Hazard class(es)	:	Not regulated
	Packing Group (if applicable)	:	Not regulated
	Environmental Hazards	:	Not regulated
	Special Precautions for User	:	Not regulated



15. Regulatory information*

- Safety, health, and environmental regulations specific for the product in guestion :
 - Globally Harmonized System of Classification and Labelling of Chemical (GHS), Rev. 4th.
 - Work Health and Safety Act and Regulations (WHS Act and Regulations)
 - Code of Practice Preparation of Safety Data Sheets for Hazardous Chemicals (Safe Work Australia)
 - Code of Practice Labelling of Safety Data Sheets for Hazardous Chemicals (Safe Work Australia)
- Registration, Evaluation, Authorization and Restriction of Chemical (REACH)
 - List of Substances are compliance with:
 - The National Industrial Chemical Notification and Assessment Scheme (NICNAS)
 - The Australian Inventory of Chemical Substances (AICS)

16. Other information

: October 23rd, 2020

- SDS validation date : October 23rd, 2020 SDS revision date
- · SDS Safety Data Sheet Key/legend to • CAS - Chemical Abstracts Service (unique identitiy abbreviations and number for subtance and mixture) acronyms used in SDS SAE number – Society of Automotive Engineers (code used for viscosity specification of lubricant) ASTM – American Standard Testing and Material UN Number - United Nations Number (used for transportation classification) ICAO/IATA – International Civil Aviation Organization/International Air Transport Association IMDG – International Maritime Dangerous Goods USCG Compatibility – US Coast Guard Compatibility (classification of chemical contained cargo which transported with ship)

No data

- Key literature : references and sources for data used to compile the SDS
- Further information:
 - Data in this SDS is available only for material/product above (Masri RG 100).
 - It is not applicable for particular process which is not suggested or mixed with other materials.
 - The risk of this product condition and compatibility for other use, which is not guaranteed by the company, is borne to the user. Precaution sign and



16. Other information

handling procedure of this product must be obtained by user and staff who use the product.

- Do not change or revise this document except with legal approval.

GENERAL NOTES

FOOT NOTE

Additional information: This document contains important information to ensure product storage, handling, and application will be done safely.

Revised parts: revised parts of this document is underlined and italic.

Application: this product cannot be used for other application besides recommendation in section 1 without any suggestion from the supplier.

SDS distribution: information in this document must be obtained and accessed by anyone who handles the product

Terms and Conditions: this information is made based on actual knowledge and intended to describe the product for health, safety, and environment requirements. Therefore, it cannot be interpreted for particular material guarantee of the product.