

Safety Data Sheet (SDS)

Product Name	:	TURALIK 48 OVE
Revision	:	0
Validation Date	:	October 2 nd , 2019
Valid Period	:	5 (five) years

PT Pertamina Lubricants

Grha Pertamina, Pertamax Tower 15th-17th floor JI. Medan Merdeka Timur No. 11-13 Central Jakarta 10110 Indonesia



			1. lc	lentification
•	Product identification/name	:	TUR	ALIK 48 OVE
٠	Identification number	:	-	
•	Recommended use of the chemical and restrictions on use	:	hydr	ALIK 48 OVE is recommended for general aulic system, also for circulating or oil baths cation systems.
•	Manufacturer's details	:	PT Pertamina Lubricants Grha Pertamina, Pertamax Tower 15 th -17 th floor Jl. Medan Merdeka Timur No. 11-13 Central Jakarta 10110 Indonesia T : +62 21 3190 7190	
٠	Emergency phone number	:	135	
		2		nd Islandification
				rd Identification
•	Classification of the prod	uc	t :	Not classified as hazardous material according to GHS
•	GHS label elements		:	No label
•	Signal word		:	No signal word
•	Hazard statement(s) : Physical hazard No hazard statement			
	Health hazard No hazard statement			
	Environmental hazard No hazard statement			
•	Precautionary statement General No precautionary statem	. ,		
	Preventive No precautionary statem	en	t	
	Response No precautionary statem	en	t	



-	
Storago	
Storage	

2. Hazard Identification

No precautionary statement

Disposal

No precautionary statement

Pictogram

- : No pictogram
- Other hazards which do not : No hazard result in classification

3. Composition/Information on the Ingredients

Chemical identity

- : Hydrocarbon petroleum and additive
- Common/trade name/synonym
- : Turalik 48 OVE
- Mixtures: (no hazardous material)

Chemical Ingredients	CAS Number	% wt as product
-	-	-

4. First Aid Measures

- Description of necessary first aid measure: General : May not cause any health hazard in normal condition : Rinse with plenty of water. If irritation occurs, refer to a physician. Eve contact Skin contact : Rinse the contaminated skin with absorbent or towel. Wash the contaminated skin with water and soap. Remove the clothes. Get medical advice if further irritation occurs immediately. Wash the contaminated clothing before reuse. Inhalation : Remove victim to fresh air and keep at rest in comfortable a position for breathing. Ingestion : Give plenty of water immediately (> 500ml) (give active carbon if needed) in case spontaneous vommiting occurs. Do not give anything through mouth if unconsciousness occurs. Get medical advice.
 - Most important symptoms/effects (acute and delayed):
 - No data
 - Indication of immediate medical attention and special treatment needed:
 - No data

5. Fire-fighting Measures

- Suitable extinguishing media
- : Water, foam, and dry chemical
- Specific hazards arising from the chemical



5. Fire-fighting I	Measures			
Other hazardous combustion products	: No other hazardous combustion			
Flash point °C	: 236 (ASTM D-92)			
Hazardous chemical decomposition	: No data available			
 Special protective actions for fire fighters 	:			
a. Dry Chemical				
Spray to the origin of fire in the same	direction with the wind.			
b. Foam If fire is in a container, spray the foam to inner wall of the container and not to the ignited liquid in the same direction with the wind. If it is spill, spray to the origin of fire in the same direction with wind until all the fire covered. Do not dispose the spill to the drainage, sewage system, and clean water source (drinking water).				
Special protective equipment	: If fire occurs in limited/indoor/closed area, fire fighter operator must wear Self-Contained Breathing Apparatus (SCBA).			
6 Assidantal Balas				

6. Accidental Release Measures

- Personal precautions, protective equipment, and emergency procedures Keep away from fire sources. Avoid direct contact with skin, eye, and clothes (see section 8).
- Environmental precautions Prevent oil spill goes into drainage, sewage system, and soil.
- Procedures Report spill according to the valid system and procedures. If spill is estimated can goes into drainage or streams, do immediate report to the authority.
- Methods and materials for containment and cleaning up Do oil spill control with oil spill kit (absorbents: sawdust, sorbent pad/pillow, etc, and other fire retardant material). Clean and dispose cleaned material in the right waste disposal.

7. Handling and Storage

- Preventive procedure for safe handling
- Precautions for safe handling Do not get in eyes, skin, and clothes. See section 8 for personal protective equipment suggestions when handling this product. Do not inhale vapor from hot material, wash after use. Avoid release/spill.



7. Handling and Storage				
 Conditions for safe storage (including any incompatibilities) Store in closed and labeled container. Keep away from oxidizer, hot material, or combustible materials. Store at temperatures not exceeding 50 Celsius degrees. 				
	Use mild carbon steel or high density polyethylene for container or container			
 Other information/advice Container made from polyethylene can it is able to change the shape. 	nnot be exposed to high temperature because			
8. Exposure Controls a	and Personal Protection			
Control parameters				
Exposure limits	: No data available			
Biological limit value	: No data available			
Appropriate engineering controls :				
Ventilation	: In common condition, special ventilat ion requirement is not needed			
 Individual protection measures (such 	•			
Respiratory protection	: In common condition, no special requirements needed.			
Eye protection	: Use eye protective equipment			
Llond protection	(chemical goggles dan face shield) if material heated.			
Hand protection	 In common condition, no special requirement needed. If there is hand contact probability, use standardized and relevant gloves (e.g: EN374, US: F739) which has been agreed and made from proven material that can give protection from the chemical, neophrene or neophrene rubber gloves or nitrile. 			
Skin and body protection	: No special work clothing (without coverall) for skin or other body protection.			
Hygiene Practices : No data				

9. Physical and Chemical Properties					
SAE Number	: No data available				
Page 5 out of 12	Edition : 0 Validation date : October 2 nd , 2019				



9. Physical and Chemical Properties				
Specific Weight, 15°C, Kg/l	:	0.8587	(ASTM D-4052)	
Appearance (physical state, color, etc)	:	L 0.5	(ASTM D-1500)	
Odor	:	No data available		
Odor threshold	:			
рН	:	No data available		
Pour point, °C	:	-21	(ASTM D-5950)	
Initial boiling point and boiling range	:	No data available		
Flammable properties (solid, gas)	:	No data available		
Flash point (COC), °C	:	236	(ASTM D-92)	
Evaporation rate	:	No data available		
Flammability (solid, gas)	:	Low		
Lower/upper flammability and/or	:	No data available		
explosive limits				
Vapor pressure	:	No data available		
Vapor density	:	No data available		
Relative density	:	No data available		
Solubility				
- Water solubility	:	No data available		
 Other solvent solubility 	:	No data available		
Partition coefficient: n-octanol/water	:	No data available		
Auto-ignition temperature	:	No data available		
Decomposition temperature	:	No data available		
Kinematic viscosity at 40°C, cSt	:	46.14	(ASTM D-7279)	

10. Stability and reactivity				
 Chemical stability and reactivity 	: Stable for normal use and under normal condition			
 Possibility of hazardous reactions 	: No data available			
Condition to avoid	: Temperature above normal condition			
Incompatible materials	: Strong oxides, strong acid and base,			
Hazardous decomposition pruducts	: CO, metal oxide, other oxides, smoke, H ₂ S, and <i>alkyl mercaptans</i>			

	11. Toxicological Information					
•	Acute toxicity					
	- Skin corrosion/irritation	:	No data available. Suspected not to cause mild irritation based on test to similar material and component.			
	 Serious eye damage/ irritation 	:	Do not cause skin irritation based on test to similar material and component.			
	 Respiratory/skin sensitization 	:	Do not cause eye irritation based on test to similar material and component.			



11. Toxicological Information					
 Germ cell mutagenicity Carcinogenicity 	conta mutaç Do no	ata available which shows that product ins >1% material which have genicity effects. It cause carcinogen based on test to the onents.			
- Reproductive toxicity	Do I				
 Systemic Target Organ Toxicity-single exposure 		ata available. It is expected that it does ause organ damage because of single			
- Systemic Target Organ Toxicity-repeated exposure	No da not c term (ata available. It is expected that it does ause organ damage because of long or repeated exposure based on test to omponents.			
- Aspiration hazard	No da not gi	ata available. It is expected that it does ve aspiration risk based on its materials cal-chemical properties			
 Information on the likely routes of exposure 	No da	ita available			
Symptoms related to the physical, chemical, and toxicological characteristics	No da	ata available			
 Delayed and immediate effects and also chronic effects from short and long term exposure 	No da	ata available			
 Numerical measures of toxicity Interactive effects 	No da	ita available			
 Where specific chemical data are not available 	No da	ita available			
Mixtures	No da	ta available			
Mixture versus ingredient information	No da	ata available			
Other information	No da	ata available			

12. Ecological Information

 Ecotoxicity : Materials – May cause harm to aquatic organism. May cause long lasting harmful effect to aquatic life. Soil seepage may cause soil water contamination or aquifer. No potential to cause air pollution and ozone layer damage.

 Persistence and degradability : Biodegradation: Lubricant base component – Suspected has biodegradation properties



- Bioaccumulative potential This product is estimated that will not accumulate biologically through food chain in the environment.
- Mobility in soil : Lubricant base component – Low solubility, floating, and suspected can move from water to land. It is also suspected that will crack to sedimentation and wastewater particle.
- Other adverse effect : No data

*Information given is based on available material data, material component data, and similar material data.

13. Disposal Considerations

- Disposal Methods
 - Product Disposal

Lubricant waste may not dispose with domestic waste and must be manage according to the valid government regulation. As alternative, the waste disposal can be done by authorized third party.

- Packaging/container Disposal

Two-hundred nine (209) capacity drum must be in empty condition, labeled, and returns to the supplier or authorized party that have license to do recondition drum waste. Uncontaminated metal and plastic packaging can be recycled if possible, or disposed as domestic waste.

14. Transport Information

- ICAO/IATA 1
 - UN Number

UN Proper Shipping Name

Transport Hazard class(es)

Packing Group (if applicable)

Environmental Hazards

Special Precautions for User

ICAO/IATA II

UN Number

- UN Proper Shipping Name
- Transport Hazard class(es)

- : Not regulated
- Not regulated
- : Not regulated
- Not regulated



14. Transport Information					
Packing Group (if applicable)	: Not regulated				
Environmental Hazards	: Not regulated				
Special Precautions for User	: Not regulated				
• IMDG					
UN Number	: Not regulated				
UN Proper Shipping Name	: Not regulated				
Transport Hazard class(es)	: Not regulated				
Packing Group (if applicable)	: Not regulated				
Environmental Hazards	: Not regulated				
Special Precautions for User	: Not regulated				
US DOT Non Bulk					
UN Number	: Not regulated				
UN Proper Shipping Name	: Not regulated				
Transport Hazard class(es)	: Not regulated				
Packing Group (if applicable)	: Not regulated				
Environmental Hazards	: Not regulated				
Special Precautions for User	: Not regulated				
USCG Compatibility					
UN Number	: Not regulated				
UN Proper Shipping Name	: Not regulated				
Transport Hazard class(es)	: Not regulated				
Packing Group (if applicable)	: Not regulated				
Environmental Hazards	: Not regulated				
Special Precautions for User	: Not regulated				
Canada					
UN Number	: Not regulated				
UN Proper Shipping Name	: Not regulated				
Transport Hazard class(es)	: Not regulated				
I					



14. Transport Information		
Packing Group (if applicable)	: Not regulated	
Environmental Hazards	: Not regulated	
Special Precautions for User	: Not regulated	
Mexico		
UN Number	: Not regulated	
UN Proper Shipping Name	: Not regulated	
Transport Hazard class(es)	: Not regulated	
Packing Group (if applicable)	: Not regulated	
Environmental Hazards	: Not regulated	
Special Precautions for User	: Not regulated	
Indonesia		
UN Number	: Not regulated	
UN Proper Shipping Name	: Not regulated	
Transport Hazard class(es)	: Not regulated	
Packing Group (if applicable)	: Not regulated	
Environmental Hazards	: Not regulated	
Special Precautions for User	: Not regulated	

15. Regulatory information*

- Safety, health, and environmental regulations specific for the product in question :
 - Globally Harmonized System of Classification and Labelling of Chemical (GHS), Rev. 4th.
 - Work Health and Safety Act and Regulations (WHS Act and Regulations)
 - Code of Practice Preparation of Safety Data Sheets for Hazardous Chemicals (Safe Work Australia)
 - Code of Practice Labelling of Safety Data Sheets for Hazardous Chemicals (Safe Work Australia)
 - Registration, Evaluation, Authorization and Restriction of Chemical (REACH)
- List of Substances are compliance with:
 - The National Industrial Chemical Notification and Assessment Scheme (NICNAS)
 - The Australian Inventory of Chemical Substances (AICS)



16. Other information	
SDS validation date	: October 2 nd , 2019
SDS revision date	: October 2 nd , 2019
 Revision explanation 	: Adjusted to Peraturan Menteri Perindustrian Nomor 23 Tahun 2013 tentang Perubahan Atas Perubahan Peraturan Menteri Perindustrian Nomor 87/M- IND/PER/9/2009 tentang Sistem Harmonisasi Global Klasifikasi dan Label pada Bahan Kimia
 Key/legend to abbreviations and acronyms used in SDS 	 SDS – Safety Data Sheet CAS – Chemical Abstracts Service (unique identitiy number for subtance and mixture) SAE number – Society of Automotive Engineers (code used for viscosity specification of lubricant) ASTM – American Standard Testing and Material UN Number – United Nations Number (used for transportation classification) ICAO/IATA – International Civil Aviation Organization/International Air Transport Association IMDG – International Maritime Dangerous Goods USCG Compatibility – US Coast Guard Compatibility (classification of chemical contained cargo which transported with ship)
 Key literature references and sources for data used to compile the SDS 	: No data
 Further information : Data in this SDS OVE) 	is available only for material/product above (Turalik 48
 It is not applicable for particular process which is not suggested or mixed with other materials. 	

- The risk of this product condition and compatibility for other use, which is not guaranteed by the company, is borne to the user. Precaution sign and handling procedure of this product must be obtained by user and staff who use the product.
- Do not change or revise this document except with legal approval.

GENERAL NOTES

FOOT NOTE



Additional information: This document contains important information to ensure product storage, handling, and application will be done safely.

Revised parts: revised parts of this document is underlined and italic.

Application: this product cannot be used for other application besides recommendation in section 1 without any suggestion from the supplier.

SDS distribution: information in this document must be obtained and accessed by anyone who handles the product

Terms and Conditions: this information is made based on actual knowledge and intended to describe the product for health, safety, and environment requirements. Therefore, it cannot be interpreted for particular material guarantee of the product.