

HEAVY DUTY DIESEL OILS

Product Description

A synthetic high performance petrol and diesel engine oil.

Typical Characteristics

Characteristics	Test Method	FASTRON TECHNO A5/B5
SAE Viscosity Grade	-	5W - 30
Density at 15 °C, kg/L	ASTM D4052	0.8501
Kinematic Viscosity, at 40 °C, cSt	ASTM D7279	65.35
at 100 °C, cSt	ASTM D7279	10.97
Viscosity Index	ASTM D2270	166
Flash Point, °C	ASTM D92	236
Pour Point, °C	ASTM D97	-33
Total Base Number, mgKOH/g	ASTM D2896	10

Specifications / Approvals

- ACEA A5/B5 & A1/B1-12
- RN 0700
- FORD WSS-M2C-913D, WSS-M2C-913C, WSS-M2C-913B
- JAGUAR LAND ROVER ST JLR.03.5003

Superiorities

- Offers excellent oxidation stability that gives durable performance in all driving condition; high speed, stop and go, or heavy traffic.
- Good shear stability and high performance additives to provide engine cleanliness and maximum protection from excessive wear.
- Reduced oil volatility leads to minimal oil consumption and ensures optimal lubrication.
- Support fuel economy improvement.

Applications

FASTRON TECHNO A5/B5 is highly recommended for the latest car generation from the leading car manufacturers such as VW, Mercedes Benz, BMW, and Porsche which requires above specifications.

Health and Safety

Please contact our Industrial Marketing Head Office to get Material Safety Data Sheet as information for Health and Safety Protection

Phone: 62-21 3190 7190/5

Email: hsse.ptpl@pertamina.com

www.pertaminalubricants.com

Disclaimer:

Information presented in this Product Data Sheet is as accurate as possible prior to printing. Such information is based upon standard industry tests under controlled laboratory conditions and presented as a guide only. To assess product suitability for its intended application, it is recommended that users refer to the latest version of the Product Data Sheet because the information contained herein is subject to change, without notice, due to the upgrades in product formulation, manufacturers' equipment specifications, user applications and storage.