



Safety Data Sheet (SDS)

Product Name : Fastron Gold 0W-20 SN/GF-5
Revision : 3
Valid from : October 13th 2016
Validity Period : 5 (five) years

PT Pertamina Lubricants
Oil Centre Building 5th-7th floor
Jl. MH Thamrin, Kavling 55
Jakarta Pusat 10350 Indonesia

**LEMBAR DATA KESELAMATAN
(SAFETY DATA SHEET)**

1. Identification

- Product identification/name : Fastron Gold 0W-20 SN/GF-5
- Identification number : 798
- Recommended use of the chemical and restrictions on use : Fastron Gold 0W-20 SN/GF-5 is a lubricant, recommended to be applied on gasoline machines which equipped with exhaust after treatment devices.
- Manufacturer's details : **PT Pertamina Lubricants**
Oil Centre Building Lantai 5 - 7
Jl. MH Thamrin, Kavling 55
Jakarta Pusat 10350 Indonesia
T : +62 21 3190 7190
F : +62 21 314 8886
- Emergency phone number : (021) 1 500 000

2. Hazard Identification

- Classification of the product : Can cause allergic skin reaction (Category 1)
May cause mild skin irritation (Category 3).
May cause long lasting harmful effects to aquatic life (Category 4).
- GHS label elements : Exclamation mark
- Signal word : Warning
- Hazard statement(s) :
Physical hazard
No hazard statement

Health hazard
H316-Causes mild skin irritation;
H317- May cause an allergic skin reaction

Environmental hazard
H413- May cause long-lasting harmful effects to aquatic life
:
- Precautionary statement(s)
General
No precautionary caution

Preventive action :

**LEMBAR DATA KESELAMATAN
(SAFETY DATA SHEET)**

2. Hazard Identification

P261-Avoid breathing dust/fume/gas/mist/vapours/spray.
 P272-Contaminated work clothing should not be allowed out of the workplace.
 P273-Avoid release to the environment.
 P280-Wear protective gloves/protective clothing/eye protection/face protection.
 P273-Avoid release to the environment.

Response :

P333 + P313-If skin irritation or rash occurs: Get medical advice/attention.
 P 302+352-If on skin, wash with plenty of soap and water.
 P362-Take off contaminated clothing and wash before reuse.

Storage

No precautionary statement

Disposal

P501- Dispose used lubricant or container to authorized waste collector.

- Pictogram :



- Other hazards which do not result in classification : No hazard statement

3. Composition/information on the Ingredients

- Chemical identity : Hydrocarbon petroleum and additive
- Common name/synonim : Fastron Gold 0W-20 SN/GF-5
- Composition of Mineral Oil : 64%
- CAS/EC number : Confidential
- Impurities and stabilizing additives : Confidential
- Mixtures

Chemical Ingredients	CAS Number	% Weight
<u>zinc alkyldithiophosphate</u>	<u>66649-42-3</u>	<u>2.1-2.7</u>
<u>Long chain alkaryl amine</u>	<u>Confidential</u>	<u>2.7-3</u>

**LEMBAR DATA KESELAMATAN
(SAFETY DATA SHEET)**

4. First Aid Measures

- Description of necessary first aid measure:
 - Eye contact : Rinse with plenty of water. If irritation occurs, refer to a physician.
 - Skin contact : Rinse the contaminated skin with absorbent or towel. Wash the contaminated skin with water and soap. Remove the clothes. Get medical advice if further irritation occurs immediately. Wash the contaminated clothing before reuse.
 - Inhalation : Remove victim to fresh air and keep at rest in comfortable a position for breathing
 - Ingestion : Give plenty of water immediately (> 500ml) (give active carbon if needed) in case spontaneous vomiting occurs. May cause breathing difficulty. Give water repeatedly and artificial respiration. Do not give anything through mouth if unconsciousness occurs. Get medical advice.
- Most important symptoms/effects (acute and delayed):
 - No data
- Indication of immediate medical attention and special treatment needed:
 - No data

5. Fire-fighting measures

- Suitable extinguishing media : water, foam, and dry chemical
- Specific hazards arising from the chemical
 - Other hazardous combustion products : No other hazardous combustion product
 - Flash point °C : 230 (ASTM D-92)
 - Hazardous chemical decomposition : No data available
- Special protective actions for fire fighters
 - a. Dry Chemical
Spray to the origin of fire in the same direction with the wind.
 - b. Foam
If fire is in a container, spray the foam to inner wall of the container and not to the ignited liquid in the same direction with the wind. If it is spill, spray to the origin of fire in the same direction with wind until all the fire covered. Do not dispose the spill to the clean water source (drinking water).
- Special protective equipment
If fire occurs in limited/indoor/closed area, fire fighter operator must wear *Self-Contained Breathing Apparatus* (SCBA).

6. Accidental Release Measures

- Personal precautions, protective equipment, and emergency procedures
Keep away from fire sources. Avoid direct contact with skin , eye, and clothes (see section 8).

**LEMBAR DATA KESELAMATAN
(SAFETY DATA SHEET)**

6. Accidental Release Measures

- Environmental precautions
Prevent oil spill goes into drainage, sewage system, and soil.
- Procedures
Report spill according to the valid system and procedures. If spill is estimated can goes into drainage or streams, do immediate report to the authority.
- Methods and materials for containment and cleaning up
Do oil spill control with oil spill kit (absorbents: sawdust, sorbent pad/pillow, etc, and other fire retardant material). Clean and dispose cleaned material in the right waste disposal.

7. Handling and Storage

- Preventive procedure for safe handling
- Precautions for safe handling
Do not get in eyes, skin, and clothes. See section 8 for personal protective equipment suggestions when handling this product. Do not inhale vapor from hot material, wash after use. Avoid release/spill.
- Conditions for safe storage (including any incompatibilities) :
Store in closed and labeled container. Keep away from oxidizer, hot material, or combustible materials. Store at temperatures not exceeding 50 celcius degress.
- Recommended/compatible packaging material
Use mild carbon steel or high density polyethylene for container or container coating.
- Other information/advice
Container made from polyethylene can not be exposed to high temperature because it is able to change the shape.

8. Exposure Controls and Personal Protection

- Control parameters
Exposure limits : No data available
Biological limit values : No data available
- Appropriate engineering controls :
Ventilation : In common condition, special ventilation requirement is not needed

**LEMBAR DATA KESELAMATAN
(SAFETY DATA SHEET)**

- Individual protection measures (such as personal protective equipment) :
 - Respiratory protection : In common condition, no special requirements needed
 - Eye protection : Use eye protective equipment (chemical goggles dan face shield) if material heated.
 - Hand protection : In common condition, no special requirement needed. If there is hand contact probability, use standardized and relevant gloves (e.g: EN374, US: F739) which has been agreed and made from proven material that can give protection from the chemical, neophrene or neophrene rubber gloves or nitrile.
 - Skin and body protection : No special work clothing (without coverall) for skin or other body protection.

- Hygiene practices :
 - No data

9. Physical and Chemical Properties

No. SAE	:	0W-20	
Specific Weight, 15°C, Kg/l	:	0.8436	(ASTM D-4052)
Appearance (physical state, color, etc)	:	L3.5	(ASTM D-1500)
Odor	:	Not available	
Odor threshold	:		
pH	:	Not available	
Pour point, °C	:	-42	
Initial boiling point and boiling range	:	Not available	(ASTM D-97)
Flammable properties (solid, gas)	:		
Flash point (COC), °C	:	230	(ASTM D-92)
Evaporation rate	:	Not available	
Flammability (solid, gas)	:	Low	
Lower/upper flammability and/or explosive limits	:	Not available	
Vapor pressure	:	Not available	
Vapor density	:	Not available	
Relative density	:	Not available	
Solubility	:		
- Water solubility	:	Not available	
- Other solvent solubility	:	Not available	
Partition coefficient: n-octanol/water	:	Not available	
Auto-ignition temperature	:	Not available	
Decomposition temperature	:		
Kinematic viscosity at 40°C, cSt	:	Not available	
	:	31.27	(ASTM D-445)

**LEMBAR DATA KESELAMATAN
(SAFETY DATA SHEET)**

10. Stability and reactivity

- Chemical stability and reactivity : Stable for normal use and under normal condition
- Possibility of hazardous reactions : Not available
- Condition to avoid : Temperature above normal condition
- Incompatible materials : Strong oxides, strong acid and base
- Hazardous decomposition products : Not available

11. Toxicological Information

- Acute toxicity
 - Skin corrosion/irritation : No data available. Suspected to cause mild irritation based on test to similar material and component.
 - Serious eye damage/irritation : No data available. It is not expected to cause serious irritation based on test to similar material and component.
 - Respiratory/skin sensitization : No data available. It is expected that inhaling material fog or vapor after heating will cause irritation and upper respiratory problem.
 - Germ cell mutagenicity : No data available. It is expected that it is not mutagen based on test to the components.
 - Carcinogenicity : No data available. It is expected that it is not carcinogen based on test to the components.
 - Reproductive toxicity : No data available. It is expected that it is not reproductive toxicant based on test to the components.
 - Systemic Target Organ Toxicity-single exposure : No data available. It is expected that it does not cause organ defect because of single exposure.
 - Systemic Target Organ Toxicity-repeated exposure : No data available. It is expected that it does not cause organ defect because of long term or repeated exposure based on test to the components.
 - Aspiration hazard : No data available. It is expected that it does not give aspiration risk based on its materials physical-chemical properties
 - Information on the likely routes of exposure : No data available
- Symptoms related to the physical, chemical, and toxicological characteristics : No data available

LEMBAR DATA KESELAMATAN (SAFETY DATA SHEET)

11. Toxicological Information

- Delayed and immediate effects and also chronic effects from short and long term exposure : No data available
- Numerical measures of toxicity : No data available
- Interactive effects
- Where specific chemical data are not available : No data available
- Mixtures : No data available
- Mixture versus ingredient information : No data available
- Other information : No data available
- Information on the likely routes of exposure : No data available

12. Ecological Information

- Ecotoxicity :
Materials – May cause harm to aquatic organism. May cause long lasting harmful effect to aquatic life. Soil seepage may cause soil water contamination or aquifer. No potential to cause air pollution and ozone layer damage.
- Persistence and degradability :
Biodegradation:
Lubricant base component – Suspected has biodegradation properties
- Bioaccumulative potential
This product is estimated that will not accumulated biologically through food chain in the environment.
- Mobility in soil :
Lubricant base component – Low solubility, floating, and suspected can move from water to land. It is also suspected that will cracked to sedimentation and wastewater particle.
- Other adverse effect :

**Information given is based on available material data, material component data, and similar material data.*

**LEMBAR DATA KESELAMATAN
(SAFETY DATA SHEET)**

13. Disposal Considerations

- Disposal Methods
 - Product Disposal
Lubricant waste may not dispose with domestic waste and must be manage according to the valid government regulation. As alternative, the waste disposal can be done by authorized third party.
 - Packaging/container Disposal
 Two-hundred nine (209) capacity drum must be in empty condition, labeled, and returns to the supplier or authorized party that have license to do recondition drum waste. Uncontaminated metal and plastic packaging can be recycled if possible or dispose as domestic waste.

14. Transport Information

- ICAO/IATA 1

UN Number	:	Not regulated
UN Proper Shipping Name	:	Not regulated
Transport Hazard class(es)	:	Not regulated
Packing Group (if applicable)	:	Not regulated
Environmental Hazards	:	Not regulated
Special Precautions for User	:	Not regulated
- ICAO/IATA II

UN Number	:	Not regulated
UN Proper Shipping Name	:	Not regulated
Transport Hazard class(es)	:	Not regulated
Packing Group (if applicable)	:	Not regulated
Environmental Hazards	:	Not regulated
Special Precautions for User	:	Not regulated
- IMDG

UN Number	:	Not regulated
UN Proper Shipping Name	:	Not regulated

**LEMBAR DATA KESELAMATAN
(SAFETY DATA SHEET)**

14. Transport Information

Transport Hazard class(es)	: Not regulated
Packing Group (if applicable)	: Not regulated
Environmental Hazards	: Not regulated
Special Precautions for User	: Not regulated
• US DOT Non Bulk	
UN Number	: Not regulated
UN Proper Shipping Name	: Not regulated
Transport Hazard class(es)	: Not regulated
Packing Group (if applicable)	: Not regulated
Environmental Hazards	: Not regulated
Special Precautions for User	: Not regulated
• USCG Compatibility	
UN Number	: Not regulated
UN Proper Shipping Name	: Not regulated
Transport Hazard class(es)	: Not regulated
Packing Group (if applicable)	: Not regulated
Environmental Hazards	: Not regulated
Special Precautions for User	: Not regulated
• Canada	
UN Number	: Not regulated
UN Proper Shipping Name	: Not regulated
Transport Hazard class(es)	: Not regulated
Packing Group (if applicable)	: Not regulated
Environmental Hazards	: Not regulated
Special Precautions for User	: Not regulated
• Mexico	
UN Number	: Not regulated

**LEMBAR DATA KESELAMATAN
(SAFETY DATA SHEET)**

14. Transport Information

UN Proper Shipping Name	: Not regulated
Transport Hazard class(es)	: Not regulated
Packing Group (if applicable)	: Not regulated
Environmental Hazards	: Not regulated
Special Precautions for User	: Not regulated
• Indonesia	
UN Number	: Not regulated
UN Proper Shipping Name	: Not regulated
Transport Hazard class(es)	: Not regulated
Packing Group (if applicable)	: Not regulated
Environmental Hazards	: Not regulated
Special Precautions for User	: Not regulated

15. Regulatory information*

- Safety, health, and environmental regulations specific for the product in question :
 - Peraturan Menteri Perindustrian Nomor 23/M-IND/PER/4/2013 tentang Perubahan Atas Peraturan Menteri Perindustrian Nomor 87/M-IND/PER/9/2009 Tentang Sistem Harmonisasi Global Klasifikasi dan Label pada Bahan Kimia
 - Peraturan Pemerintah Republik Indonesia, Nomor 74 Tahun 2001 Tentang Pengelolaan Bahan Berbahaya dan Beracun Presiden Republik Indonesia
 - Keputusan Menteri Tenaga Kerja No Kep-187/Men/1999 tentang Pengendalian Bahan Kimia Berbahaya

16. Other information

- SDS making date : October 13th 2016
- SDS revision date : October 13th 2016

**LEMBAR DATA KESELAMATAN
(SAFETY DATA SHEET)**

16. Other information

- Revision explanation : Adjusted to Peraturan Menteri Perindustrian Nomor 23 Tahun 2013 tentang Perubahan Atas Perubahan Peraturan Menteri Perindustrian Nomor 87/M-IND/PER/9/2009 tentang Sistem Harmonisasi Global Klasifikasi dan Label pada Bahan Kimia
- Key/legend to abbreviations and acronyms used in SDS :
 - SDS – Safety Data Sheet
 - CAS – Chemical Abstracts Service (unique identity number for substance and mixture)
 - SAE number – Society of Automotive Engineers (code used for viscosity specification of lubricant)
 - ASTM – American Standard Testing and Material
 - UN Number – United Nations Number (used for transportation classification)
 - ICAO/IATA – International Civil Aviation Organization/International Air Transport Association
 - IMDG – International Maritime Dangerous Goods
 - USCG Compatibility – US Coast Guard Compatibility (classification of chemical contained cargo which transported with ship)
- Key literature references and sources for data used to compile the SDS : No data
- **Further information :**
 - Data in this SDS is available only for material/product above (Fastron Gold 0W-20 SN/GF-5)
 - It is not applicable for particular process which is not suggested or mixture with other materials.
 - The risk of this product condition and compatibility for other use, which is not guaranteed by the company, is borne to the user. Precaution sign and handling procedure of this product must be obtained by user and staff who use the product.
 - Do not change or revise this document except with legal approval.

[GENERAL NOTES](#)

[FOOT NOTE](#)

**LEMBAR DATA KESELAMATAN
(SAFETY DATA SHEET)**

Additional information : This document contains important information to ensure product storage, handling, and application will be done safely.

Revised parts: revised parts of this document is underlined and italic.

Application: this product cannot be used for other application besides recommendation in section 1 without any suggestion from the supplier.

SDS distribution: information in this document must be obtained and accessed by anyone who handles the product

Terms and Conditions: this information is made based on actual knowledge and intended to describe the product for health, safety, and environment requirements. Therefore, it cannot be interpreted for particular material guarantee of the product.

Label

Fastron Gold 0W-20

(Passenger Car Motor Oil)

PT Pertamina Lubricants

Oil Centre Building 5th-7th floor
Jl. MH Thamrin, Kavling 55
Jakarta Pusat 10350 Indonesia
www.pertaminalubricants.com

Pernyataan Bahaya

Menyebabkan iritasi ringan pada kulit
Dapat menyebabkan reaksi alergi pada kulit
Dapat menyebabkan bahaya bagi organisme dan lingkungan air dalam jangka waktu panjang.

Pencegahan:

Hindari menghirup uap material
Gunakan sarung tangan, pelindung mata dan wajah
Apabila terjadi iritasi kulit, konsultasikan dengan dokter/tenaga medis
Apabila terjadi kontak dengan kulit, bilas dengan air sebanyak-banyaknya
Pembuangan oli bekas atau kemasan diserahkan kepada pengelola limbah
Gunakan Safety Data Sheet sebagai acuan untuk informasi lebih lanjut



Warning
Peringatan

Hazard Statement

Cause mild skin irritation
May cause an allergic skin reaction
May cause long lasting harmful effect in the aquatic environment

Precautions:

Avoid breathing dust/fume/gas/mist/vapours/ spray
Wear protective gloves / protective clothing/ eye protection / face protection
If skin irritation or rash occurs, Get medical advice / attention ;
If on skin wash with plenty of water
Dispose of contents/ container to waste collector
Refer to Safety Data Sheet for additional information